


## Series 8, Built-in compact oven with steam function, 60 x 45 cm, Black CSG958DB1



|           |                                          |
|-----------|------------------------------------------|
| HEZ32WA00 | Wireless food thermometer                |
| HEZ531010 | Baking tray, non-stick ceramic coated    |
| HEZ532010 | Universal pan, non-stick ceramic coated  |
| HEZ629070 | Air Fry & Grill tray                     |
| HEZ631070 | Baking tray, enamelled                   |
| HEZ638D00 | Full ext rails, level independent, steam |
| HEZ6BMA00 | Assembly kit for vertical installation   |

## The compact steam oven with Digital Control Ring and TFT-touchdisplay, assist function for meals PerfectBake Plus, PerfectRoast Plus, Home Connect for control via the App.

- **Steam Function Plus:** Gentle, healthy cooking at temperatures up to 120°C for faster results.
- **Added Steam function:** Your foods turn out crispy on the outside and juicy on the inside.
- **Cleaning Assistance:** Less cleaning effort thanks to the new cleaning option, which can be especially used for cleaning of light soiling.
- **PerfectBake Plus:** Regulates settings and tells you exactly when to remove dishes from the oven.
- **PerfectRoast Plus:** Knows exactly when your roast is done.

Color / Material Front: ..... Black  
 Built-in / Free-standing: ..... Built-in  
 Door opening: ..... Drop down  
 Cleaning system: ..... EcoClean Direct, Cleaning Assistance  
 Control Panel Material: ..... Glass  
 Door Material: ..... Glass  
 Dimensions (HxWxD): ..... 455x594x548 mm  
 Dimensions of the packed product (HxWxD): ..... 520x660x690 mm  
 Required niche size for installation (HxWxD): ..... 450-455 x 560-568 x 550 mm  
 Cavity dimensions: ..... 235.0 x 480 x 415.0 mm  
 Usable volume of cavity: ..... 47 l  
 Number of interior lights: ..... 1  
 Net weight: ..... 37.2 kg  
 Gross weight: ..... 39.7 kg  
 EAN code: ..... 4242005326211  
 Connection rating: ..... 3300 W  
 Fuse protection: ..... 16 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50; 60 Hz  
 Length electrical supply cord: ..... 150 cm



## Series 8, Built-in compact oven with steam function, 60 x 45 cm, Black CSG958DB1

**The compact steam oven with Digital Control Ring and TFT-touchdisplay, assist function for meals PerfectBake Plus, PerfectRoast Plus, Home Connect for control via the App.**

### Heating Functions

- Compact steam oven with 24 heating methods: 4D HotAir, Top/bottom heating, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heating, Intensive heat, Slow cooking, Preheat ovenware, Drying, Keep warm, Hotair gentle, Conventional heat gentle, AirFry, Pure steaming, Reheating, Dough Proving, Defrost setting, sous-vide cooking, hotair grilling + steam, keep warm + steam, 4D hotAir + steam, Top/bottom heat + steam
- Heating methods only via Home Connect App: let rest, preheating
- Temperature range 30 °C - 250 °C.
- Steam Function Plus 120 °C
- Cavity volume: 47 net usable litres
- Cavity: smooth

### Racks and Rails

- Number of shelf levels: 3
- 1 set of level independent telescopic rails (Clip-on rail), fully extendable, safety stop function

### Design

- Carbon Black Design
- Touch control
- Digital Control Ring
- Cavity inner surface: enamel
- Extra large capacity oven

### Cleaning

- EcoClean Direct: coating of ceiling, back panel, side liners
- Cleaning Assistance (HydroClean program)
- Full glass inner door

### Convenience

- Cooking Assistant
- TFT-touchdisplay Pro
- Electronic clock/timer with end time programming
- Automatic temperature proposal, Residual heat indicator, Actual temperature display, Meat probe function
- Bottom hinged door
- Oven door with SoftOpen and SoftClose door
- Bosch Assist - a menu of dishes for automatic cooking
- PerfectRoast Plus multipoint meat probe
- PerfectBake plus
- Air Fry Function
- Automatic rapid heat function
- Steam Boost - add for 3min intensive steam with a touch of a button.
- There are different steam intensities selectable: steam level high, steam level middle, steam level low

- LED light
- Water tank empty indicator
- Location of the steam generator is outside of the cavity
- Integrated cooling fan
- HomeConnect
- 4D HotAir: even heat distribution on any level, also simultaneously

### Accessories

- 1 x enamel baking tray, 1 x steam container, punched, size M, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size M, 1 x grid, 1 x sponge, 1 x universal pan

### Safety Features

- Maximum door temperature 40° C
- Triple glazed door
- Child lock, Automatic safety switch off function, Residual heat indicator, Start button, Door contact switch

### Technical Information


- Length of mains cable: 150 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.3 KW

### Dimensions




- Appliance dimensions (HxWxD): 455 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

## Series 8, Built-in compact oven with steam function, 60 x 45 cm, Black CSG958DB1


Installing two appliances on top of each other  
other  
Air exchange



A: Air inlet  $\geq 200 \text{ cm}^2$



Installation with a hob.



measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

| Hob type                   | min. worktop thickness |       |
|----------------------------|------------------------|-------|
|                            | fitted                 | flush |
| Induction hob              | 42 mm                  | 43 mm |
| Full surface Induction hob | 52 mm                  | 53 mm |
| Gas hob                    | 32 mm                  | 43 mm |
| Electric hob               | 32 mm                  | 35 mm |