Series 8, Built-in oven, 60 x 60 cm, Black
HBG976MB1A



The built-in oven with Digital Control Ring and TFT-touchdisplay, Assist function for meals, Air Fry, PerfectRoast Plus, Home Connect for control via the App.

- **PerfectRoast Plus**: Knows exactly when your roast is done.
- **4D Hotair**: Even heat distribution for perfect results – on any level.
- **Pyrolytic self-cleaning**: Less cleaning effort thanks to automatic self-cleaning.
- **Assist Function**: Sets the optimal type of heat, temperature and time for a wide range of dishes.
- **AirFry Function with tray**: For perfectly fried foods, such as vegetables and chips.

HEZ629070	Air Fry & Grill tray
HEZ631070	Baking tray, enamelled
HEZ634000	Baking and roasting grid
HEZ638070	Full ext rails, level independent, pyro
HEZ6BMA00	Assembly kit for vertical installation
HEZ327000	Pizza stone
HEZ32WA00	Wireless food thermometer
HEZ531010	Baking tray, non-stick ceramic coated
HEZ532010	Universal pan, non-stick ceramic coated

Color / Material Front:	Black
Built-in / Free-standing:	Built-in
Door opening:	Drop down
Cleaning system:	Pyrolytic + Cleaning Assistance
Control Panel Material:	Glass
Door Material:	Glass
Dimensions (HxWxD):	595x594x548 mm
Dimensions of the packed product (HxWxD):	670x670x680 mm
Required niche size for installation (HxWxD):	585-595 x 560-568 x 550 mm
Cavity dimensions:	357.0 x 480 x 415.0 mm
Usable volume of cavity:	71 l
Net weight:	38.8 kg
Gross weight:	41.4 kg
EAN code:	4242005326877
Connection rating:	3600 W
Fuse protection:	16 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Length electrical supply cord:	120 cm

4 242005 326877

Series 8, Built-in oven, 60 x 60 cm, Black
HBG976MB1A

The built-in oven with Digital Control Ring and TFT-touchdisplay, Assist function for meals, Air Fry, PerfectRoast Plus, Home Connect for control via the App.

Heating Functions
- Oven with 14 cooking functions: 4D HotAir, Top/bottom heating, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heating, Slow cooking, Defrost, Preheat ovenware, Keep warm, Hotair gentle, Conventional heat gentle, AirFry
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 net usable litres

Racks and Rails
- Number of shelf levels: 5
- 1 set of level independent telescopic rails (Clip-on rail), Pyrolytic proof, fully extendable, safety stop function

Design
- Carbon Black Design
- Cavity inner surface: enamel
- Touch control
- Digital Control Ring

Cleaning
- Pyrolytic self-cleaning function
- Cleaning Assistance (HydroClean program)

Convenience
- TFT-Touchdisplay Plus
- Automatic temperature proposal, Residual heat indicator, Actual temperature display, Meat probe function
- Air Fry Function
- PerfectRoast Plus multipoint meat probe
- Bosch Assist - a menu of dishes for automatic cooking
- HomeConnect
- Cooking Assistant
- Automatic rapid heat function
- Bottom hinged door
- Oven door with SoftOpen and SoftClose door
- Integrated cooling fan
- LED light
- Electronic clock/timer with end time programming

Accessories
- 1 x air fry & grill tray, 2 x combination grid, 1 x universal pan


Safety Features
- Electronic door lock, Child lock, Automatic safety switch off function, Residual heat indicator, Start button, Door contact switch
- Quadruple glazed CoolTouch door
- Maximum door temperature 30° C
- Low door temperature during pyrolytic cleaning
- Full glass inner door

Technical Information
- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW


Dimensions
- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

Series 8, Built-in oven, 60 x 60 cm, Black
HBG976MB1A


Installing two appliances on top of each other
Air exchange



A: Air inlet ≥ 200 cm²




measurements in mm



measurements in mm

Measurements in mm
Worktop thickness when installing underneath a hob
(incl. substructure, if required)

Hob type	raised	flush
Induction hob	≥ 37	≥ 38
Full surface induction hob	≥ 47	≥ 48
Gas hob	≥ 30	≥ 38
Electric hob	≥ 27	≥ 30


560+8
180
min.
550
min. 600+4
19,5
405
min.
20
595
535
max.
45
577
Space for
appliance
connection
320 x 115
594
548
measurements in mm