Series 8, Built-in oven with added steam function, 60 x 60 cm, Black HRG978NB1A



The built-in added steam oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals: automatically prepares your dishes so they’re crispy and juicy, PerfectRoast Plus, PerfectBake Plus, Home Connect for control via the App.

- **Added Steam function**: Your foods turn out crispy on the outside and juicy on the inside.
- **PerfectBake Plus**: Regulates settings and tells you exactly when to remove dishes from the oven.
- **4D Hotair**: Even heat distribution for perfect results – on any level.
- **Pyrolytic self-cleaning**: Less cleaning effort thanks to automatic self-cleaning.
- **AirFry Function with tray**: For perfectly fried foods, such as vegetables and chips.

HEZ634000	Baking and roasting grid
HEZ638070	Full ext rails, level independent, pyro
HEZ6BMA00	Assembly kit for vertical installation
HEZ327000	Pizza stone
HEZ32WA00	Wireless food thermometer
HEZ531010	Baking tray, non-stick ceramic coated
HEZ532010	Universal pan, non-stick ceramic coated
HEZ629070	Air Fry & Grill tray
HEZ631070	Baking tray, enamelled

Color / Material Front:	Black
Built-in / Free-standing:	Built-in
Door opening:	Drop down
Cleaning system:	Pyrolytic + Cleaning Assistance
Control Panel Material:	Glass
Door Material:	Glass
Dimensions (HxWxD):	595x594x548 mm
Dimensions of the packed product (HxWxD):	675x660x690 mm
Required niche size for installation (HxWxD):	585-595 x 560-568 x 550 mm
Cavity dimensions:	357.0 x 480 x 415.0 mm
Usable volume of cavity:	71 l
Net weight:	42.4 kg
Gross weight:	45.0 kg
EAN code:	4242005327164
Connection rating:	3600 W
Fuse protection:	16 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Length electrical supply cord:	120 cm

4 242005 327164

Series 8, Built-in oven with added steam function, 60 x 60 cm, Black HRG978NB1A

The built-in added steam oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals: automatically prepares your dishes so they’re crispy and juicy, PerfectRoast Plus, PerfectBake Plus, Home Connect for control via the App.

Heating Functions

- Oven with 22 heating methods: 4D HotAir, Top/bottom heating, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heating, Intensive heat, Slow cooking, Defrost, Preheat ovenware, Drying, Keep warm, Hotair gentle, Conventional heat gentle, AirFry, Reheating, Dough Proving, hotair grilling + steam, keep warm + steam, 4D hotAir + steam, Top/bottom heat + steam
- Heating methods only via Home Connect App: let rest, preheating
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 net usable litres
- Cavity: smooth

Racks and Rails

- Number of shelf levels: 5
- 1 set of level independent telescopic rails (Clip-on rail), Pyrolytic proof, fully extendable, safety stop function

Design

- Carbon Black Design
- Touch control
- Digital Control Ring
- Cavity inner surface: enamel
- Extra large capacity oven

Cleaning

- Pyrolytic self-cleaning function
- Cleaning Assistance (HydroClean program)
- Full glass inner door

Convenience

- Cooking Assistant
- TFT-touchdisplay Pro
- Electronic clock/timer with end time programming
- Automatic temperature proposal, Residual heat indicator, Actual temperature display, Meat probe function
- Bottom hinged door
- Oven door with SoftOpen and SoftClose door
- Bosch Assist - a menu of dishes for automatic cooking
- PerfectRoast Plus multipoint meat probe
- PerfectBake plus
- Air Fry Function
- Automatic rapid heat function
- Steam Boost - add for 3min intensive steam with a touch of a button.
- There are different steam intensities selectable: steam level high, steam level middle, steam level low
- Crisp Finish
- LED light
- Water tank empty indicator
- Location of the steam generator is outside of the cavity
- Integrated cooling fan
- HomeConnect
- 4D HotAir: even heat distribution on any level, also simultaneously

Accessories

- 1 x air fry & grill tray, 2 x combination grid, 1 x universal pan

Safety Features

- Maximum door temperature 30° C
- Low door temperature during pyrolytic cleaning
- Quadruple glazed CoolTouch door
- Electronic door lock, Child lock, Automatic safety switch off function, Residual heat indicator, Start button, Door contact switch

Technical Information


- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW

Dimensions


- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing


Series 8, Built-in oven with added steam function, 60 x 60 cm, Black
HRG978NB1A

Installing two appliances on top of each other
Air exchange




A: Air inlet ≥ 200 cm²





Measurements in mm
Worktop thickness when installing underneath a hob
(incl. substructure, if required)

Hob type	raised	flush
Induction hob	≥ 37	≥ 38
Full surface induction hob	≥ 47	≥ 48
Gas hob	≥ 30	≥ 38
Electric hob	≥ 27	≥ 30


560+8
180
min.
550
min. 600+4
19,5
405
min.
20
595
535
max.
45
577
Space for
appliance
connection
320 x 115
594
548
measurements in mm