

Series 4, 90 x 48 cm, Stainless steel VBC5540S0



The built-in oven with hotair, 90 cm width: achieve perfect baking and roasting results for big roasts or dishes of large quantities

- **Hotair function:** even results on one or two levels thanks to optimal heat distribution.
- **Self-cleaning catalytic coating:** reduces cleaning effort as the rear and side surfaces absorb grease during cooking.
- **Red LED display:** easy to use with clear time functions and simple navigation.
- **Pizza setting:** ideal for cooking pizza and dishes that require intensive heat from below.
- **Level-independent telescopic rails:** clip-on rails for safer, easier handling of baking trays on any level.

Color / Material Front: Stainless steel
 Built-in / Free-standing: Built-in
 Door opening: Drop down
 Cleaning : Hydrolytic
 Control Panel Material: brushed stainless steel
 Door Material: Glass
 Dimensions (HxWxD): 475x896x577 mm
 Dimensions of the packed product (HxWxD): 590x960x680 mm
 Required niche size for installation (HxWxD): 477-480 x 860-864 x 560 mm
 Cavity dimensions: 282.0 x 724.0 x 417.0 mm
 Usable volume of cavity: 85 l
 Net weight: 52.2 kg
 Gross weight: 60.5 kg
 EAN code: 4242005071524
 Connection rating: 3100 W
 Fuse protection: 16 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Length electrical supply cord: 115 cm



Series 4, 90 x 48 cm, Stainless steel VBC5540S0

**The built-in oven with hotair, 90 cm width:
achieve perfect baking and roasting
results for big roasts or dishes of large
quantities**

- 90 cm built-in oven with 7 heating methods:
- Hot Air Standard
- Top/bottom heating
- Hot air grilling
- Full width grill
- Pizza setting
- Bottom heating
- Conventional heat gentle
- Temperature range 50 °C - 250 °C
- Cavity volume: 85 l

Racks and Rails

- 1 set of level independent telescopic rails (Clip-on rail)

Design

- Rotary control knobs, Retractable control knobs, Touch control

Cleaning

- Catalytic back liner, catalytic side liners
- Cleaning Assistance (manually)
- Cleaning Assistance - cleaning option for light soiling
- Full glass inner door

Convenience

- Electronic clock/timer with end time programming
- Bottom hinged door
- Fast pre-heating function
- Halogen lighting
- Integrated cooling fan
- Bar handle

Accessories

- 1 x enamel baking tray, 1 x combination grid, 1 x universal pan
- Maximum door temperature 40° C
- Child lock, Automatic safety switch off function, Door contact switch
- Length of mains cable: 115 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.1 KW

Dimensions

- Appliance dimensions (HxWxD): 475 mm x 896 mm x 577 mm
- Installation dimensions (HxWxD): 477 mm - 480 mm x 860 mm - 864 mm x 560 mm
- Please reference the built-in dimensions provided in the installation drawing

Series 4, 90 x 48 cm, Stainless steel
VBC5540S0

