60cm Series 5 4 Zone Induction Cooktop

Series 5	I	Contemporary	

Black Glass




Great for compact kitchens. Enjoy the instant-response and energy efficiency of induction cooking.

- Instant response and precise control with Touch&Slide
- PowerBoost and GentleHeat deliver both very high or very low heat for specialised cooking
- Easy to clean, durable ceramic glass cooktop
- Enjoy safer cooking with a keylock function, safety time out, surface hot indicators, and spillage auto off

DIMENSIONS

Height	61 mm
Width	600 mm
Depth	530 mm



FEATURES & BENEFITS

Instant Response

Go from a boil to a simmer in seconds. Touch&Slide controls react immediately when you adjust the temperature so you don't waste time in the kitchen.

Safer Choice

Induction cooktops only start heating your pot or pan once you've placed it on the ceramic surface and stop as soon as you remove it – so you don't have to worry about curious little fingers or leaving an element on.

Easy Cleaning

The surface around your cookware stays cool when you cook, preventing baked-on spills and making cleaning up a breeze. The durable ceramic cooktop surface just needs a quick wipe after use to maintain its good looks.

Enhanced Features

PowerBoost and GentleHeat deliver either very high or very low heat fast for specialised cooking tasks such as searing meat and melting chocolate. An integrated timer keeps you on track.

Superior Efficiency

Less heat is wasted during induction cooking because only the cookware is heated, not the cooktop surface. This makes induction cooking more energy-efficient than electric or gas cooktops.

Precise Control

Fisher & Paykel induction cooktops offer extremely accurate, consistent temperature control from very high to very low heats, so you can sear, sauté and temper like a pro.

Perfect Steak With Induction

Fisher & Paykel induction cooktops quickly reach high temperatures, ideal for cooking steak. Cast iron pans are the best choice as they are highly inductive and get really hot, for perfect searing.

SPECIFICATIONS

Cleaning

Flat easy clean glass surface

Controls

Auto cut-off timer for each zone

QUICK REFERENCE GUIDE > CI604CTB1

Spillage auto off Surface hot indicators

Minute timer	•
Soft-touch electronic controls	•
Touch and slide controls	•
Performance	
Gentle heat	•
Heat settings	9
Induction cooking technology	•
PowerBoost	•
Power requirements	
Amperage	32 A
Maximum power	7.4 kW
Supply voltage	220 - 240 V
Product dimensions	
Depth	530 mm
Height	61 mm
Width	600 mm
Safety	
Keylock	
Pan detection system	•

•	Left front zone (PowerBoost set)
9	Left rear
•	Left rear zone (PowerBoost set)
•	PowerBoost
	Right front
	Right front zone (PowerBoost set)
	Right rear
32 A	Right rear zone (PowerBoost set)
7.4 kW	
220 - 240 V	
	Zones

Warranty

Parts and labour

Zone ratings

Left front

Number of zones	4
SKU	81372

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

$\overline{1}$	2D-DWG Induction Cooktop
$\overline{1}$	2D-DWG Induction Cooktop
$\overline{1}$	2D-DXF Induction Cooktop
⊥	2D-DXF Induction Cooktop
1	Archicad Induction Cooktop
$\overline{1}$	ArchiCAD Induction Cooktop
$\overline{1}$	Data Sheet Induction Cooktop
$\overline{1}$	Service & Warranty
$\overline{\mathbf{A}}$	Installation Guide Induction Cooktop
<u>↓</u>	Installation Guide Induction Cooktop Revit Induction Cooktop
⊻ ⊻ ⊻	
\downarrow \downarrow \downarrow \downarrow \downarrow	Revit Induction Cooktop
\downarrow \downarrow \downarrow \downarrow \downarrow \downarrow	Revit Induction Cooktop Revit Induction Cooktop
\downarrow \downarrow \downarrow \downarrow \downarrow \downarrow \downarrow \downarrow	Revit Induction Cooktop Revit Induction Cooktop Revit-19 Induction Cooktop
\downarrow	Revit Induction Cooktop Revit Induction Cooktop Revit-19 Induction Cooktop Rhino Induction Cooktop
$\overline{\mathbf{A}}$	Revit Induction Cooktop Revit Induction Cooktop Revit-19 Induction Cooktop Rhino Induction Cooktop Rhino Induction Cooktop

Where applicable:

2 years

2300W

3000W

1200W 1400W up to 3000W 1200W 1400W 2300W 3000W

> All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.





T 1300 650 590 Wwww.fisherpaykel.com