QUICK REFERENCE GUIDE > DD60SI9

Series 9, Integrated Single DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready




Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.*

- Customise with your own front panel and handle to match your kitchen cabinetry
- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

 Customise with your own front panel and handle to match your kitchen cabinetry

DIMENSIONS

| Height | 410 mm |
|--------|--------|
| Width | 599 mm |
| Depth | 553 mm |



FEATURES & BENEFITS

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock To Pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A double knock on the front panel will pause the dishwasher which can be restarted again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket

Knife clip and multipurpose clip

Accessories (sold separately)

Door panel black stainless steel ADDD60SPB Door panel recessed handle black stainless ADDD60STNB Door panel recessed handle matte black ADDD60STZB Door panel recessed handle stainless steel ADDD60STNX Door panel stainless steel ADDD60SPX Handle kit Classic AHCL-DDDW-24X Handle kit Contemporary round, aluminium AHS-OBDD-60S Handle kit Contemporary square fine, AHD5aluminium OBDD-60SX

QUICK REFERENCE GUIDE > DD60SI9 Date: 28.02.2025 > 2

| Handle kit Contemporary square fine, blac | k AHD5- OBDD-60SB | Smart appliance | • | Extra Dry | • |
|---|------------------------|----------------------------------|------------|--|------------------------------------|
| Handle kit Contemporary square, aluminiu | m AHD3-OBDD-60S | | | Quick | • |
| Handle kit Contemporary square, black | AHD3-OBDD-60B | Features | | Sanitise | • |
| Handle kit Professional round flush | AHP3-DWDD-60S | Fan assisted drying | • | Wash Programs | |
| | | Flow through detergent dispenser | • | - | |
| Capacity and loading | | Quiet operation | • | Delicate | • |
| Accommodates round plates up to | 280mm | SmartDrive™ technology | • | Eco | • |
| Adjustable height, foldable cupracks | • | | | Fast | • |
| Fold down tines | • | Performance | | Heavy Medium | • |
| Pitch adjustable tines | • | Noise emissions | 43 dBA | Rinse | • |
| Place settings | 7 | Noise emissions | 43 UBA | Killse | • |
| Place settings | 7 | | | | |
| | | Power requirements | | Water connection | |
| Consumption | | Amperage | 5A | Water pressure | 30kPa - 1000 kPa |
| Energy rating | 3.5 star | Supply frequency | 50Hz | Water supply | 3/4" BSP (20mm) Connector Water |
| Energy usage | 136kWh/year | Supply voltage | 220 - 240V | | Inlet Hose |
| In-use energy carbon emissions estimate | 88.6kgCO2e/year | | | | |
| Water consumption (per wash cycle) | 6.9L | Product dimensions | | | |
| Water rating | 4.5 star (WELS) | Depth | 553 mm | SKU | 82321 |
| | | Height | 410 mm | | |
| Controls | | Width | 599 mm | The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these | |
| End of cycle beeps | • | | | dimensions and specifications may cha | |
| Energy saving delay start option of up to 1 hours | 2 • | Warranty | | check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 | |
| Internal wash selector | • | Parts and labour | 2 years | | |
| Keylock | • | | | | |
| Knock to pause | • | | | Other product downloads available at fisherpaykel.com | |
| Rinse aid indicator light | • | Wash Program Modifiers | | | |

QUICK REFERENCE GUIDE > DD60SI9

- ↓ 2D-DWG Integrated Single DishDrawer™ Dishwasher
- J 2D-DXF Integrated Single DishDrawer™ Dishwasher
- ↓ Data Sheet Integrated Single DishDrawer™ Dishwasher
- ↓ Energy and Water Label
- ↓ Service & Warranty
- J Installation Guide Single DishDrawer™ Dishwasher
- ↓ Planning Guide Integrated Single DishDrawer™ Dishwasher
- Quick Start Guide
- Revit Single DishDrawer™ Dishwasher
- ↓ Rhino Single DishDrawer[™] Dishwasher
- ↓ Sketchup Single DishDrawer™ Dishwasher
- Sketchup Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ User Guide DishDrawer™ Dishwasher
- ↓ Wash Program Data DishDrawer™ Dishwasher

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

