

N 30, SLIDEOUT RANGEHOOD, 60 CM, SILVER
METALLIC
D46BR22N1A



Z51IT11X4 Clean Air Standard recirculation kit

Slideout rangehood: Fans of streamlined kitchens love this rangehood because it's invisible inside the upper cabinet

- ✓ LED Lighting: Clear illumination while you cook.
- ✓ Integrated Power Button – the rangehood automatically starts and stops when you slide it out and back in.

Typology: Pull-out
 Length electrical supply cord: 175 cm
 Required niche size for installation (HxWxD): 162mm x 526.0mm x 290mm mm
 Minimum distance above an electric cooktop: 600 mm
 Minimum distance above a gas cooktop: 650 mm
 Net weight: 8.7 kg
 Type of control: mechanical
 Number of power settings: 3
 Maximum output air extraction: 388 m³/h
 Maximum output recirculating air: 257 m³/h
 Number of lights: 2
 Noise level: 67 dB(A) re 1 pW
 Diameter of air outlet: 120 / 150 mm
 Grease filter material: Washable aluminium
 EAN code: 4242004253686
 Connection Rating: 108 W
 Fuse protection: 10 A
 Voltage: 220-240 V
 Frequency: 50 Hz
 Plug type: Standard 10 Amp plug
 Installation type: Built-in



N 30, SLIDEOUT RANGEHOOD, 60 CM, SILVER
METALLIC
D46BR22N1A

- Appliance width: 598 mm
- Appliance colour: silver metallic
- Install into a 60cm wide upper kitchen cabinet
- Suitable for ducted or recirculated extraction
- Accessory required for recirculated extraction: Recirculating kit

Design

Comfort

- Automatic On/Off operation when telescopic canopy is pulled out and pushed back
- Rocker switch control for power and light
- 3 power levels

Cleaning

- 2 x LED Lights
- Colour Temperature: 3500 K
- Cassette with alu frame
- Dishwasher safe Metal grease filters

Performance

- Extraction rate exhaust air according to EN 61591: max. 389 m³/h
- Noise min./max. Normal Level: 59/67 dB
- 1 single inlet horizontal, Capacitor motor

Planning and installation information

- Appliance dimensions (HxWxD): 203 x 598 x 290 mm
- Installation dimensions (HxWxD): 162 x 526 x 290 mm
- Diameter pipe Ø 150 mm (Ø 120 mm enclosed)
- Electrical cable length 1.75 m

Consumption Data

- Power rating: 108 W

N 30, SLIDEOUT RANGEHOOD, 60 CM, SILVER
METALLIC
D46BR22N1A



