

341L top mount fridge, white with Autosense smart cooling function, FreshSeal™ crisper, sphere ice tray & 3.5-star energy rating



Product Details

FEATURES

AutoSense
Autosense adapts to enhance performance.

Cool tray
Cool Tray offers flexible, extra storage.

FreshSeal Crisper

Sphere ice tray

Inverter technology

Reversible door

Multi-flow air delivery system

Flat Door Design

FlexStor™ door bin storage system

SpillSafe™ Glass

Door alarm

Frost free

Egg tray

LED lighting

BENEFITS

AutoSense: Smarter Cooling

Autosense function enables more efficient operation and optimised performance by adapting to your habits, learning your fridge usage patterns, and adjusting its temperature accordingly.

FreshSeal Crispers

Our FreshSeal Crispers have seals that assist in preventing moisture loss to retain fruit and vegetable freshness and look after your food the right way.

Stay refreshingly cool

Keep your drinks ice cold thanks to our sphere ice tray. With plenty of ice available for all and the slow melting nature of larger sphere ice, you and your family can enjoy ice-cold drinks anytime.

Extra cool storage

For additional storage when you need it, the Cool Tray can be used at any time and for any occasion.

Quieter, energy-efficient fridge

For a quieter*, more energy-efficient** fridge - our inverter technology adjusts to your fridges cooling needs, keeping the temperature just right for your fruits and vegetables while using less energy.*Tests by Eurofins Thailand Laboratory on compressor running noise level. **Internal tested single speed compressor compared to inverter compressor.

Multi-Flow Air Delivery System

Fresher food means tastier food. The Westinghouse Multi-Flow Air Delivery System keeps the temperature stable so every ingredient in the fridge stays fresher for longer.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Refrigerator Type	top mount
Exterior door finish	White
Fridge door opening	reversible (with optional door kit)
Cooling system	frost free
Refrigerant	R600a
Compressor	Inverter

DIMENSIONS

Total height (mm)	1756
Cabinet height (mm)	1740
Total width (mm)	598
Cabinet width (mm)	595
Total depth (mm)	650
Cabinet depth (mm)	586
Depth door open 90degree (mm)	1199
Air space above cabinet (mm)	90
Food Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) *	267
Freezer Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) *	74
Total Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) *	341

ENERGY

Energy Star Rating - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	3.5
-------------------------------------------------------------	-----

Energy Consumption (kWh/year) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	311
------------------------------------------------------------------------	-----

FOOD COMPARTMENT

CHILLER COMPARTMENT

Full width compartment	1
------------------------	---

CRISPERS

Crisper lid/shelf	glass
-------------------	-------

Crispers Runner system	suspended
------------------------	-----------

Full width crisper	1
--------------------	---

Crisper features	fully sealed
------------------	--------------

OTHER PROPERTIES

REFRIGERATOR SYSTEM

Controls	manual
----------	--------

Controls location	internal
-------------------	----------

Control functions	Autosense
-------------------	-----------

Door alarm	fridge
------------	--------

SHELVING

Shelf material	glass
----------------	-------

LIGHTING

Feature lighting	LED
------------------	-----

Main light	LED
------------	-----

FOOD COMPARTMENT DOOR

BINS

Other Properties-FOOD COMPARTMENT	Egg tray
--------------------------------------	----------

Deep bottle bin	1
-----------------	---

Shallow bin	2
-------------	---

OTHER PROPERTIES

Bin mounting system	lug mounted
---------------------	-------------

FREEZER COMPARTMENT

ICE FACILITY

Ice sphere tray	1
-----------------	---

SHELVING

Shelving	glass shelf
----------	-------------

Number of shelves	1
-------------------	---

FREEZER DOOR



INTERNAL

Freezer door bins - full width	2
-----------------------------------	---

Dimensions

Medium Top Mount Fridges


WTM3100SL/WL
WTM3400WL



Please note: Doors are designed to sit proud of cabinetry (not flush).

Model	X
WTM3100 WTM3400	350mm

When positioned in a corner area, spacing a minimum of Xmm (distance depends of the model as per the table above) on the hinge side will allow the doors to open enough to enable the removal of shelves.



Dimensions	Product Height (H)	Product Width (W)	Product Depth (D)	Product Depth (D2) (Door Open)
WTM3100SL	1646	598	650	1199
WTM3100WL	1646	598	650	1199
WTM3400WL	1756	598	650	1199

IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm). For complete installation instructions, refer to the manual provided with product.

© 2024 Electrolux Home Products Pty Ltd. WHS_DIM_MediumTM_Nov24
and Westinghouse are trademarks of Westinghouse Electric Corporation. All Rights Reserved.

Airspace	Side - both	Top	Behind
WTM3100SL	30	90	50
WTM3100WL	30	90	50
WTM3400WL	30	90	50

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz